

**=> IFW: Scan as Doc Code: SRNT <=
Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10785218

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

PALM INTRANETDay : Monday
Date: 7/10/2006
Time: 12:46:38

Inventor Information for 10/785218

| Inventor Name | City | State/Country |
|----------------------|-----------------|----------------|
| WANG, YUNZHANG | DUNCAN | SOUTH CAROLINA |
| MCBRIDE, DANIEL T. | CHESNEE | SOUTH CAROLINA |
| KOHLMAN, RANDOLPH S. | BOILING SPRINGS | SOUTH CAROLINA |

[Appln. Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Invento](#)

Search Another: Application#

[Search](#)

or Patent#

[Search](#)

PCT /

/

[Search](#)

or PG PUBS #

[Search](#)

Attorney Docket #

[Search](#)

Bar Code #

[Search](#)

To go back use Back button on your browser toolbar.

[Back to PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | |
|-------------------------|----------|---|---------|--|--------------------------------|
| US 20060123691 A1 | 20060615 | Trotline drop hook organizers | 43/57.3 | 292/113 | McBride; Dan F. III |
| US 20060042325 A1 | 20060302 | Tape substrate and tape made therefrom | 66/176 | | Callaway; Brian et al. |
| US 20050272334 A1 | 20051208 | Textile substrates having layered finish structure for improving liquid repellency and stain release | 442/93 | 442/59; 442/94 | Wang, Yunzhang et al. |
| US 20050272333 A1 | 20051208 | Method for making textile substrates having layered finish structure for improving liquid repellency and stain release | 442/64 | 427/180; 427/212; 427/331; 427/370; 427/381; 427/393.4; 427/402; 427/412; 442/59; 442/70; 442/71; 442/72; 442/75; 442/79; 442/91 | Wang, Yunzhang et al. |
| US 20050266752 A1 | 20051201 | Cleanroom wiper with low particle release | 442/59 | | Morin, Brian G. et al. |
| US 20050245156 A1 | 20051103 | Textile substrate having coating containing repellent finish chemical, organic cationic material, and sorbant polymer thereon, for image printing | 442/93 | 442/91; 442/94 | Cates, Elizabeth et al. |
| US 20050235436 A1 | 20051027 | Textile substrates for image printing | 8/532 | | Vogt, Kirkland W. et al. |
| US 20050233656 A1 | 20051020 | Fabric reinforced cement | 442/2 | 442/1; 442/17 | Royer, Joseph R. et al. |
| US | 20050825 | Treated textile | 442/88 | 442/79; | Wang, |

| | | | | | |
|-------------------------|----------|---|-----------|---|---------------------------------------|
| 20050186873 A1 | | substrate and method for making a textile substrate | | 442/82; 442/86; 442/94 | Yunzhang et al. |
| US 20050186872 A1 | 20050825 | Treated textile substrate and method for making a textile substrate | 442/88 | 442/181; 442/86; 442/93; 442/94 | Wang, Yunzhang et al. |
| US 20050106355 A1 | 20050519 | Patterned textile product | 428/85 | 68/12.07 | Kohlman, Randolph S. et al. |
| US 20050029698 A1 | 20050210 | Method of forming light dispersing fiber and fiber formed thereby | 264/51 | | Vogt, Kirkland W. et al. |
| US 20050006882 A1 | 20050113 | Air bag and method for making an air bag | 280/730.2 | 280/743.1 | Wang, Yunzhang |
| US 20040172773 A1 | 20040909 | Selective application of chemical agents in the pattern dyeing of textiles | 8/478 | | Kang, Peter K. et al. |
| US 20040137818 A1 | 20040715 | Wash-durable, liquid repellent, and stain releasing cotton fabric substrates | 442/211 | 442/182; 442/212; 442/216; 442/226 | Kimbrell, William C. JR. et al. |
| US 20040137814 A1 | 20040715 | Wash-durable, liquid repellent, and stain releasing polyester fabric substrates | 442/93 | | Kimbrell, William C. JR. et al. |
| US 20040137154 A1 | 20040715 | Methods for imparting reversibly adaptable surface energy properties to target surfaces | 427/385.5 | | Kimbrell, William C. JR. et al. |
| US 20040118013 A1 | 20040624 | Bag for home dry cleaning process | 34/595 | | Kohlman, Randolph S. et al. |
| US 20040068806 A1 | 20040415 | Use of thickening agents in pattern dyeing of textiles | 8/478 | | Kang, Peter K. et al. |
| US 20040043251 A1 | 20040304 | Electroluminescence in light emitting polymers featuring | 428/690 | 257/40; 257/E51.028; 257/E51.029; | Epstein, Arthur J. et al. |

| | | | | | |
|-------------------------|----------|---|-----------|---|-------------------------|
| | | deaggregated polymers | | 257/E51.031; 257/E51.035; 257/E51.036; 313/504; 313/506; 428/917 | |
| US 20030224680 A1 | 20031204 | Textile substrate having coating containing multiphase fluorochemical and cationic material thereon for image printing | 442/79 | 442/76 | Cates, Elizabeth et al. |
| US 20030077963 A1 | 20030424 | Textile substrate having coating containing multiphase fluorochemical, cationic material, and sorbant polymer thereon, for image printing | 442/118 | 428/85; 428/96 | Cates, Elizabeth et al. |
| US 20030077961 A1 | 20030424 | Textile substrate having coating containing organic cationic material and sorbant polymer thereon for image printing | 442/59 | 428/85; 442/152; 442/164; 442/181; 442/304; 442/327 | Cates, Elizabeth et al. |
| US 20030077959 A1 | 20030424 | Textile substrate having coating containing repellent finish chemical, organic cationic material, and sorbant polymer thereon, for image printing | 442/59 | | Cates, Elizabeth et al. |
| US 20030077427 A1 | 20030424 | Coated textile substrates for image printing | 428/195.1 | | Cates, Elizabeth et al. |
| US 20030034637 A1 | 20030220 | Multiple chamber airbags and methods | 280/729 | | Wang, Yunzhang et al. |
| US | 20030130 | Methods for | 438/38 | 257/E51.028; | Epstein, |

| | | | | | |
|-------------------------|----------|--|-----------|---|-----------------------------------|
| 20030022409 A1 | | fabricating polymer light emitting devices by lamination | | 257/E51.029; 257/E51.03; 438/45 | Arthur J. et al. |
| US 20030022020 A1 | 20030130 | Methods for producing electroluminescent devices by screen printing | 428/690 | 313/504; 313/506; 427/402; 427/66; 428/917 | Epstein, Arthur J. et al. |
| US 20020132541 A1 | 20020919 | Textile substrates for image printing | 442/64 | 442/79; 442/81; 442/82 | Vogt, Kirkland W. et al. |
| US 20020117207 A1 | 20020829 | Valve cleaning assembly | 137/240 | | Blatter, Ewald R. et al. |
| US 20020112365 A1 | 20020822 | Bag for home dry cleaning process | 34/311 | | Kohlman, Randolph S. et al. |
| US 7037346 B2 | 20060502 | Textile substrate having coating containing multiphase fluorochemical and cationic material thereon for image printing | 8/115.51 | 428/85; 428/96; 442/181; 442/304; 442/327; 442/79; 442/82; 442/83; 442/86; 442/88; 442/89; 8/115.54; 8/445; 8/478; 8/495 | Cates; Elizabeth et al. |
| US 7025378 B2 | 20060411 | Air bag and method for making an air bag | 280/730.2 | 280/729; 280/743.1; 280/743.2 | Wang; Yunzhang |
| US 7014665 B2 | 20060321 | Selective application of chemical agents in the pattern dyeing of textiles | 8/484 | 8/478; 8/485; 8/555; 8/558; 8/561 | Kang; Peter K. et al. |
| US 6962757 B2 | 20051108 | Electroluminescence in light emitting polymers featuring deaggregated polymers | 428/690 | 252/301.35; 257/40; 257/E51.028; 257/E51.029; 257/E51.031; 257/E51.035; | Epstein; Arthur J. et al. |

| | | | | | |
|------------------|----------|---|----------|---|---|
| | | | | 257/E51.036; 313/504; 313/506; 428/917 | |
| US 6962363 B2 | 20051108 | Multiple chamber airbags and methods | 280/729 | 280/739; 280/743.2 | Wang; Yunzhang et al. |
| US 6936076 B2 | 20050830 | Textile substrate having coating containing multiphase fluorochemical, cationic material, and sorbant polymer thereon, for image printing | 8/115.51 | 106/31.13; 428/304.4; 442/181; 442/304; 442/327; 442/59; 442/79; 442/82; 442/83; 442/86; 442/88; 442/89; 8/115.54; 8/445; 8/476; 8/478 | Cates; Elizabeth et al. |
| US 6936075 B2 | 20050830 | Textile substrates for image printing | 8/115.51 | 428/85; 428/91; 428/96; 442/181; 442/304; 442/327; 442/59; 442/79; 442/82; 442/83; 442/84; 442/86; 442/88; 442/89; 442/90; 8/115.54; 8/445; 8/478; 8/495 | Vogt; Kirkland W. et al. |
| US 6899923 B2 | 20050531 | Methods for imparting reversibly adaptable surface energy properties to target surfaces | 427/381 | 427/393.4 | Kimbrell, Jr.; William C. et al. |
| US 6846562 | 20050125 | Method of forming | 428/376 | 428/395 | Vogt; |

| | | | | | |
|---------------|----------|--|---------|--|-----------------------------|
| B1 | | light dispersing fiber and fiber formed thereby | | | Kirkland W. et al. |
| US 6833283 B2 | 20041221 | Methods for fabricating polymer light emitting devices by lamination | 438/82 | 257/E51.028; 257/E51.029; 257/E51.03; 438/780; 438/99 | Epstein; Arthur J. et al. |
| US 6752841 B2 | 20040622 | Use of thickening agents in pattern dyeing of textiles | 8/561 | 428/195.1; 442/59; 8/478 | Kang; Peter K. et al. |
| US 6740608 B1 | 20040525 | Low contaminant polyester wiper | 442/181 | 15/208; 15/209.1; 15/210.1; 442/212; 442/218; 442/408; 442/46 | Morin; Brian G. et al. |
| US 6658760 B2 | 20031209 | Bag for home dry cleaning process | 34/311 | 34/201; 34/307; 34/309; 383/119; 8/142 | Kohlman; Randolph S. et al. |
| US 6623870 B1 | 20030923 | Electroluminescence in light emitting polymers featuring deaggregated polymers | 428/690 | 257/E51.028; 257/E51.029; 257/E51.031; 257/E51.035; 257/E51.036; 313/504; 313/506; 428/917; 526/265; 526/268; 526/281; 528/205; 528/211; 528/219 | Epstein; Arthur J. et al. |
| US 6530392 B2 | 20030311 | Valve cleaning assembly | 137/240 | 123/198A; 134/102.1; 134/102.2; 134/113; 134/169A; 137/888; 239/106; 239/112 | Blatter; Ewald R. et al. |
| US 6381870 | 20020507 | Bag for home dry | 34/311 | 34/61; | Kohlman; |

| | | | | | |
|------------------|----------|---|---------|---|---------------------------------|
| B1 | | cleaning process | | 510/515; 510/520; 8/137; 8/142 | Randolph S. et al. |
| US 6235414 B1 | 20010522 | Color variable bipolar/AC light- emitting devices | 428/690 | 257/103; 257/40; 257/89; 257/E51.028; 257/E51.029; 257/E51.031; 257/E51.036; 313/504; 313/506; 428/917 | Epstein; Arthur J. et al. |
| US 6189189 B1 | 20010220 | Method of manufacturing low contaminant wiper | 28/166 | 15/208; 15/209.1; 15/210.1; 28/170; 66/169R; 66/170 | Morin; Brian G. et al. |
| US 6004681 A | 19991221 | Light-emitting devices containing network electrode polymers in electron blocking layer | 428/457 | 257/13; 257/94; 257/E51.028; 257/E51.031; 257/E51.035; 257/E51.036; 313/504; 313/506; 428/690; 428/917 | Epstein; Arthur J. et al. |
| US 5955834 A | 19990921 | Light emitting devices utilizing high work function electrodes | 313/501 | 257/E51.028; 257/E51.029; 257/E51.031; 257/E51.035; 257/E51.036; 313/506; 313/512 | Epstein; Arthur J. et al. |
| US 5858561 A | 19990112 | Bipolar electroluminescent device | 428/690 | 257/79; 313/504; 313/509; 428/411.1; 428/457; 428/917 | Epstein; Arthur J. et al. |
| US 5669937 A | 19970923 | Method to remove iodine stain | 8/137 | 510/276; 510/278; 510/280; 510/281; | McBride; Daniel T. et al. |

| | | | | | |
|-----------------|----------|--|----------|--|---------------------------------|
| | | | | 510/282; 510/283; 510/361; 510/400; 510/405; 510/434; 510/437; 8/102 | |
| US 5663573 A | 19970902 | Bipolar electroluminescent device | 257/40 | 257/103; 257/99; 313/501; 313/503; 313/504; 313/506 | Epstein; Arthur J. et al. |
| US 5573553 A | 19961112 | Method for improving the bleach resistance of dyed textile fiber and product made thereby | 8/115.56 | 427/372.2; 427/384; 427/394; 428/365; 428/392; 428/394; 428/395; 8/115.58; 8/115.66; 8/115.7; 8/194; 8/196 | McBride; Daniel T. et al. |
| US 5482764 A | 19960109 | Method for improving the bleach resistance of dyed textile fiber and product made thereby | 428/96 | 427/389.9; 427/393.2; 427/393.4; 442/126; 8/495; 8/496 | McBride; Daniel T. et al. |
| US 5421601 A | 19950606 | Trailer hitch cover | 280/507 | 280/511; 70/232; 70/258 | Hinze; Lee R. et al. |
| US 5420441 A | 19950530 | Automated technique for calibrating a storage phosphor reader | 250/581 | 250/252.1; 250/582; 250/587; 378/207 | Newman; J. Daniel et al. |
| US 5330540 A | 19940719 | Method of dyeing textiles | 8/554 | 8/478; 8/479; 8/555; 8/557; 8/561; 8/654; 8/908 | McBride; Daniel T. et al. |
| US D334808 S | 19930413 | Log home | D25/17 | D25/7 | McBride; Dana J. et al. |
| US 5133099 | 19920728 | Method of dyeing | 8/149.1 | 26/2R; | McBride; |

| | | | | | |
|--------------|----------|---|---------|--|-----------------------------|
| A | | tufted pile products in a predetermined pattern | | 26/25; 8/483 | Daniel T. et al. |
| US 5022891 A | 19910611 | Jet reduction discharge of dye color | 8/457 | 8/455; 8/456; 8/458 | McBride; Daniel T. |
| US 5016308 A | 19910521 | Method and apparatus for patterning substrates using gas streams | 8/149 | 68/205R; 68/5A; 68/5D; 8/149.1; 8/151; 8/158 | McBride; Daniel T. et al. |
| US 4934008 A | 19900619 | Method for patterning dyed substrates | 8/149 | 68/205R; 68/5A; 68/5D; 8/149.1; 8/151; 8/158 | McBride Daniel Taylor |
| US 4846845 A | 19890711 | Process for producing sculptured pile fabric | 8/114.6 | 8/115; 8/128.3; 8/DIG.21 | McBride; Daniel T. et al. |
| US 4808191 A | 19890228 | Process for pattern dyeing of textile materials | 8/478 | 8/445; 8/485; 8/561; 8/625; 8/626 | Gregory; Richard V. et al. |
| US 4740214 A | 19880426 | Process for pattern dyeing of textile materials | 8/561 | 8/555 | McBride; Daniel T. et al. |
| US 4415331 A | 19831115 | Process for chemically sculpturing wool pile fabrics | 8/114.6 | 8/115.7; 8/128.1; 8/128.3 | Dusenbury; Joseph H. et al. |
| US 2920532 A | 19600112 | Cable cutter utilizing a hollow charge explosive [TEXT AVAILABLE IN USOCR DATABASE] | 89/1.14 | 114/221A; 30/DIG.4; 83/177 | MCBRIDE DANIEL A |